

- Kozmaksan reserves the right to change these data without prior notice. This document contains overall information and does not represent a commitment or contract.  
- The power and torque data presented are *only* for the PTO. Do not exceed the values approved for the PTO by the transmission, engine and vehicle manufacturer.  
- The weight and suspended protrusions of the pump, shafts and parts to be mounted on the PTO attached on the transmission by bolts must not exceed the limits approved by the transmission, engine and vehicle manufacturer.

KozmaksanPTO

kozmaksanpto

kozmaksan-hydraulics-pt0

## Opsiyonlar / Options

A: Hava Girişi R1/4"

B: Pto Giriş Ekseni

C: Pto Çıkışı (Standart DIN 5462 8x32x36 ISO 4 Delik)

G: Müşür (Devrede - Devrede Değil) (Ops.)

A: Air Inlet R1/4"

B: Pto Inpu Axis

C: Pto Output (Standart DIN 5462 8x32x36 ISO 4 Bolt)

G: Sensor (Engage-Disengage) (Ops.)


	Power 1000 rpm	Max. Torque		Ratio	Weight (KG)	Mounting Type	Control Type	Rotation
		Nm	Kgm					
KUP.DT.3.12.Y	33 kw	314	32	1/1,2	16	REAR	PNEUMATIC	COUNTERCLOCKWISE (CCW)
KUP.EAT.3.0909.Y	33 kw	314	32		13			
KUP.EAT.3.10209.Y	45 kw	430	44		13			
KUP.MB.3.211.YK KUP.MB.3.211.YU	33 kw	314	32		16			
KUP.MB.3.6085	45 kw	430	44	14				
KUP.VLV.3.1700.YK KUP.VLV.3.1700.YU	45 kw	430	44	1/1,2	16			
KUP.VLV.3.2412.YK KUP.VLV.3.2412.YU	45 kw	430	44		15			
KUP.ZF.3.10991.Y	33 kw	314	32		14			

- Kozmaksan reserves the right to change these data without prior notice. This document contains overall information and does not represent a commitment or contract.  
- The power and torque data presented are only for the PTO. Do not exceed the values approved for the PTO by the transmission, engine and vehicle manufacturer.  
- The weight and suspended protrusions of the pump, shafts and parts to be mounted on the PTO attached on the transmission by bolts must not exceed the limits approved by the transmission, engine and vehicle manufacturer.

KozmaksanPTO

kozmaksanpto

kozmaksan-hydraulics-pto

		Universal PTO Code	Kit Ingredients				Measures	
			Plate (F) and Gasket Code	PTO Shaft Spline (E)		Bearing and Snap Ring Data	D1(mm)	D2(mm)
				Vehicles with Retarder	Vehicles without Retarder			
DETROIT	KUP.DT.3.12.Y	KUP	D05-025 T04-140(0,5mm)	KML-DT3Y-2		T01-004 (6009 Bearing) T05-015 (471X45 Snap Ring) T06-023 (M12X70)	237,5	170,5
EATON	KUP.EAT.3.0909.Y	KUP	D05-369 T04-001(1mm)	KML-0909DSY-2		T01-007 (6008 Bearing) T05-033 (471X40X1,75 Snap Ring) C04-018 (PTO Shaft Spline) D13-006 (Slotted Pin)	163,5	157,75
	KUP.EAT.3.10209.Y	KUP	D05-369 T04-001(1mm)	KML-10209Y-2		T01-007 (6008 Bearing) T05-053 (471X40X2,5 Snap Ring)	167	157,75
MERCEDES BENZ	KUP.MB.3.211.YK	KUP	D05-025 T04-140(0,5mm)		KML-240YK-2	T01-004 (6009 Bearing) T05-015 (471X45 Snap Ring)	220	172,25
	KUP.MB.3.211.YU	KUP	D05-025 T04-140(0,5mm)	KML-240YU-2		T01-004 (6009 Bearing) T05-015 (471X45 Snap Ring)	244,5	172,25
	KUP.MB.3.6085.Y	KUP	D05-002-1 T04-016(1mm)	C04-113		T01-354 (6910 Bearing) T05-017 (472X72 Snap Ring)		187
VOLVO	KUP.VLV.3.1700.YK	KUP	D05-009 T04-029(1mm)		KML-241974YK-2	T01-004 (6009 Bearing) T05-015 (471X45 Snap Ring)	239	174,75
	KUP.VLV.3.1700.YU	KUP	D05-009 T04-029(1mm)	KML-241974YU-2		T01-004 (6009 Bearing) T05-015 (471X45 Snap Ring)	275,75	174,75
	KUP.VLV.3.2412.YK	KUP	D05-009 T04-029(1mm)		KML-2412YK-2	T01-004 (6009 Bearing) T05-015 (471X45 Snap Ring)	205,5	174,75
	KUP.VLV.3.2412.YU	KUP	D05-009 T04-029(1mm)	KML-2412YU-2		T01-004 (6009 Bearing) T05-015 (471X45 Snap Ring)	246,5	174,75
ZF	KUP.ZF.3.10991.Y	KUP	-	KML-10991Y-2		T01-125 ( 32209 Bearing)	302,5	144